



photokina 08 *Linhof*

NEWS





Photography: Ho Sze Lun

Linhof TECHNO

Outdoor photography
HighTech digital



*The Linhof
TECHNO with wide
angle bellows
and 35 mm lens*

The Linhof is now offering another innovative product designed for digital outdoor photography – without compromises.

HIGHTECH DIGITAL

The TECHNO is a compact hightech camera offering all practical adjustment facilities for extreme short to longer focal lenses.

All currently available digital backs can be adapted.

The user is always free to select his favourite digital system. The generous adjustment facilities even cover following generations of chip backs.

ARCHITECTURE

This new design is based on the needs and experiences of the photographer with special emphasis to architectural photography. This means: shift facilities, use of wide angle lenses starting with 23 mm focal length, perfect control of vertical orientation.

The results: 40 mm of self-aligning vertical shift with exact parallel control. Zero clickstops which can be engaged whenever needed. Spirit levels at lens standard and rear standard for precise vertical orientation. A special wide angle bellows for extremely easy adjustments.

EXTENSION

The self-aligning focusing is operated via the the camera bellows extension and not via a helicoid system of the lens. This permits large extensions up to 240 mm which is a prerequisite for long focal lenses. This is a camera for landscapes as well as for close-ups.

LENSES

All lenses in mechanical or electronic shutter systems mounted on Technika lensboards can be used. Digital lenses adjusted to the needs of digital imaging technique offer optimum sharpness fully utilizing the high resolution chip sensors.



This new Linhof camera is a real eye catcher. An aesthetic beauty of sturdy light alloy combined with carbon fibre.

ANALOGUE PHOTOGRAPHY

Good news also for the classic rollfilm photographer: The following rollfilm backs can be adapted to the Linhof TECHNO: Mamiya RB, Horseman, Linhof Rapid Rollex and special Linhof Super Rollex cassettes 6 x 9 cm.



CAMERA ADJUSTMENTS

All operating elements are ergonomically placed and manufactured in Linhof precision quality. Scales showing millimeters and degrees permit exact control of the adjustments. By turning and levelling of the lens creative depth-of-field results can be achieved.

SYSTEM ACCESSORIES

The M 679 professional compendium adapted to the accessory shoe for flare-free definition and better contrast. The lens standard is compatible with the existing components of the Linhof M 679, such as viewing aids, adapter system and universal rapid change adapter slide.



Shifting of the rear standard 20 mm each up and down.

TECHNICAL DATA LINHOF TECHNO

Camera dimensions in basic position	Height: 197 mm Width: 176 mm Length: 120 mm
Weight	ab. 1900 g
Maximum camera extension	240 mm
Minimum camera extension	with recessed lensboard: 20 mm
Front standard	
Horizontal parallel shift	10 mm left, 10 mm right
Vertical parallel shift	20 mm up
Swing	±10°
Tilts	±10°
Rear standard	
Vertical parallel shift	20 mm up 20 mm down

The Linhof TECHNO with adapted digital back. The Linhof 3-D Levelling Head (003663) combined with tripod adapter Quickfix I (003874) facilitating outdoor photography.



SYSTEM COMPONENTS LINHOF TECHNO

The Linhof TECHNO lens standard is compatible with the existing components of the Linhof M 679, such as viewing aids, adapter system and universal rapid change adapter slide with stitching possibility.



000150
Linhof TECHNO
camera with normal bellows

Lensboards (Technika 96x99 mm) for
lenses from 23 to 210 mm

Further system components:
see system M 679



001704
Adapter for M 679
and TECHNO
for adaption of
digital backs Hy6
and AFi



021846-S
Groundglass
format
56x36 / 71x56 mm
for Leaf AFi



021845-S
Groundglass format
53,9 x 40,4 mm for
Phase One P65+



002755
Wide angle bellows
for Linhof TECHNO



001520
Super Rollex
Rollfilm Back
6x9 cm
special cassette
for M 679 and
TECHNO



001020
Lens adapter for TECHNO,
consisting of Linhof Technika
lensboard with integrated
Rollei Lensadapter.
All existing lenses of AFi and
Hy6 can be used with Linhof
TECHNO.

NEW SYSTEM COMPONENTS FOR LINHOF M 679

001704
Adapter for M 679 and TECHNO
for adaption of digital backs Hy6 and AFi

021845-S
Groundglass format 53,9x40,4 mm for
Phase One P65+

021846-S
Groundglass format 56x36 / 71x56 mm
for Leaf AFi

001165
Lens adapter for Linhof M 679,
consisting of Linhof lensboard M 679
with integrated Rollei Lensadapter.

001520
Super Rollex Rollfilm Back 6x9 cm
special cassette for M 679 and Linhof
TECHNO



001165
Lens adapter for Linhof M
679, consisting of Linhof
lensboard M 679 with integrated
Rollei Lensadapter.
All existing lenses of AFi and
Hy6 can be used with Linhof
M 679.